

SECTION 1.0 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

UNINAP® 750 JS

Other means of identification

Petroleum, Hydrocarbon

Manufacturer/Importer/Supplier/Distributor Information

UniSource Energy, LLC 40 Shuman Blvd, Suite 290 Naperville, IL 60563

E-mail

orders@unisource-energy.com

Telephone number

Phone: 630-470-6030 Fax: 630-470-6031

Emergency telephone number

UniSource Energy, LLC 1-800-444-5510

CHEMTREC 1-800-424-9300

SECTION 2.0	HAZARD(S) IDENTIFICATION
	` ,

GHS Requirements

Hazard Symbol

None

Signal word

None

Hazard Statement

This product does not meet the criteria for classification.

Physical Hazards

Not Classified

Health Hazards

Not Classified

OSHA Defined Hazards

Not Classified

Precautionary Statements

Prevention

Not applicable


Response

Not applicable

Storage

Not applicable

Disposal



Not applicable

SECTION 3.0	COMPOSITION/INFORMATION ON INGREDIENTS
-------------	--

Chemical Family

Petroleum, Hydrocarbon

CAS Number/Other Identifiers

Ingredient Name	%	CAS number
Severely Solvent Refined Heavy Naphthenic Distillate	100	64741-96-4

SECTION 4.0 FIRST AID MEASURES

Description of Necessary First Aid Measures

Eye contact

Avoid contact with eyes. If contact occurs, immediately flush eyes with water for a minimum of 15 minutes. Seek medical attention immediately.

Inhalation

Not expected to be a problem. However, if respiratory irritation, dizziness, nausea or unconsciousness occurs due to excessive vapor or mist exposure, seek medical attention. If operating conditions create airborne concentrations that exceed the exposure standard, the use of an approved NIOSH/OSHA respirator for organic vapors or air- supplied breathing equipment is recommended.

Skin contact

Avoid contact with skin. If contact occurs, wash contact areas with soap and water. Remove and clean oil-soaked clothing daily and wash affected area.

Ingestion

Do not induce vomiting. If ingested, seek medical attention.

SECTION 5.0	FIRE-FIGHTING MEASURES
-------------	------------------------

Flammable Limits in Air (% by Volume)

Upper: No data available Lower: No data available

Flash Point

360°F Minimum

Suitable Extinguishing media


Foam, water fog, dry chemical, CO₂

Special Fire Fighting Procedures

Do not enter confined fire space without proper protective equipment including self-contained breathing apparatus. See Hazardous Decomposition Products.

Hazardous Decomposition Products

UNISOURCE ENERGY, LLC



SAFETY DATA SHEET

Normal combustion forms carbon dioxide and water vapor and may produce oxides of sulfur and nitrogen. Incomplete combustion can produce carbon monoxide

SECTION 6.0	ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear safety glasses, rubber gloves, Tyvek type coveralls and rubber boots.

Accidental Release Measures

In case of spill, clean up using absorbent material such as earth or sand.

RCRA Hazard Class

This product is not a characteristic hazardous waste under RCRA. No EPA waste numbers are applicable for this product's components.

Personal Protection

Wear safety glasses, rubber gloves, Tyvek type coveralls and rubber boots.

Handling and Storage

Avoid fire, sparks or open flame. Wear appropriate personal protective equipment to ensure that this product does not contact the eyes or skin.

Ventilation

Use adequate ventilation to keep the airborne concentrations of this material below the established exposure standard.

SECTION 8.0	EXPOSURE CONTROLS/PERSONAL PROTECTION	
-------------	---------------------------------------	--

Exposure Controls

Component	CAL-OSHA PEL- TWA (8 Hour)	ACGIH TLV- TWA (8 Hour)	OTHER LIMITS RECOMMENDED
Severely Solvent Refined Heavy Naphthenic	5 mg/m³	5 mg/m³	None
Distillate CAS No. 64741-96-4	As oil mist	As oil mist	

Personal Protective Equipment

Respiratory protection

If operating conditions create airborne concentrations that exceed the exposure standard for this product, the use of an approved NIOSH/OSHA respirator for organic vapors or air supplied breathing equipment is recommended.


Eye protection

Wear appropriate safety glasses, goggles or full-face shield.

Skin and body protection

Long sleeve cotton shirt and cotton pants are recommended. Wear appropriate gloves.

UNINAP® 750 JS September 28, 2020



Appearance

Odor

Odor threshold

рH

Melting point/freezing point Initial boiling point @760 mmHg

Flash point

Evaporation rate (Ethyl Ether = 1)

Flammability (solid, gas) Percent volatile (% by volume)

Upper/Lower explosive (flammable) limits

Vapor pressure Vapor density (Air =1) Relative density Solubility in water

Partition coefficient n-octanol/water

Auto-ignition temperature Decomposition temperature

Specific gravity (H₂O = 1)

Amber colored liquid

Little or no odor

No data available

No data available

5°F

550°F

360°F minimum

<1

Not applicable Not applicable No data available 0.1 mmHg @ 100 F Not applicable No data available

Nil

≥5.7

No data available No data available

0.92

SECTION 10.0 STABILITY AND REACTIVITY	
---------------------------------------	--

Stability

Stable

Conditions contributing to instability

None

Incompatibility (material to avoid)

May react with strong oxidizers

Hazardous decomposition products

Normal combustion forms carbon dioxide and water vapor and may produce oxides of sulfur and nitrogen. Incomplete combustion can produce carbon monoxide.


Hazardous polymerization

Will not occur.

SECTION 11.0 TOXICOLOGICAL INFORMATION
--

Acute studies

Low order of acute oral or dermal toxicity.



Health Effects

Possible mild eye and skin irritant.

Carcinogenicity

ACGIH, NTP, OSHA and IARC carcinogen lists were checked for those components with CAS Registry Numbers (64741-96-4).

ACGIH:

This product is not listed as carcinogenic.

IARC

This product is not listed as carcinogenic.

NTF

This product is not listed as carcinogenic.

OSHA

This product is not listed as carcinogenic.

SECTION 12.0 ECOLOGICAL INFORMATION

Ecotoxicity

No mortality or other adverse reactions to the exposures during or after 96 hours.

Persistence and degradability

Direct photolysis will not contribute to a measurable degradative removal of chemical components in this category from the environment. Inherently biodegradable.

Bioaccumulative potential

Inherently biodegradable.

Mobility in soil

No data available.

Other adverse effects

No data available.

Aquatic Release

Advise authorities if product has entered or may enter watercourses or sewer drains.

SECTION 13.0	DISPOSAL CONSIDERATIONS	

Waste Residues Description

This product is not a characteristic hazardous waste under RCRA. No EPA waste numbers are applicable for this product's components.

Safe Handling Information

See Section 7 (Handling and Storage).

Waste Disposal Method

Observe Federal, State and Local regulations covering chemical waste spills.

SECTION 14.0	TRANSPORT INFORMATION
--------------	-----------------------



DOT

Not regulated as a hazardous material for transportation by USA DOT.

SECTION 15.0	REGULATORY INFORMATION
--------------	------------------------

US Federal Regulations

TSCA

Listed

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act)

This product is not a hazardous substance under CERCLA.

SARA 302/304

This product is not listed as an extremely hazardous substance in 40 CFR Part 355 and is not known to contain an extremely hazardous substance in a concentration greater than one percent by weight.

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard: No
Fire Hazard: No
Pressure Release Hazard No
Reactivity Hazard: No

SARA 313

This product is not known to contain any components in concentrations above OSHA de minimus levels that are listed as toxic in 40 CFR Part 372 pursuant to the requirements of Section 313 of SARA.

OSHA

29 CFR 1910.1200 (Hazard Communication) required.

Canada

WHIMS Listed

US State Regulations

Severely Solvent Refined Heavy Naphthenic Distillate appears on none of the hazardous substances lists in any state.

California Prop 65

Not Applicable based on maximum impurity levels of components.

SECTION 16.0	OTHER INFORMATION
--------------	-------------------

Abbreviations

A1 = Known Human Carcinogen; A2 = Suspected Human Carcinogen; A3 = Animal Carcinogen; A4 = Not classifiable as a human carcinogen; ACGIH = American Conference of Governmental Industrial Hygienists; ADR = European Road Transport; AICS = Australia Inventory of Chemical Substances; AIHA = American Industrial Hygiene Association; ASTM = American society of Testing and Materials; ATE = Acute Toxicity Estimation: AU = Australia; Australia AICS = Australian Inventory of Chemical Substances; Autoignition Temperature = The minimum temperature required to initiate combustion in air with no other source of ignition, BCF = Bioconcentration Factor; BEI = - Biological Exposure Indices, represent the levels of determinants

UNINAP® 750 JS



which are most likely to be observed in specimens collected from a healthy worker who has been exposed to chemicals to the same extent as a worker with inhalation exposure to the TLV, BEL = Biological exposure limits; BOD = Biochemical Oxygen Demand; BTEX = Benzene, Toluene, Ethylbenzene, Xylenes; bw = body weight; bw/day = body weight/day; C = Celsius, CA = Canada, Canada DSL = Domestic Substances List; Canada NDSL = Non-Domestic Substance List; CAS = Chemical Abstracts Service; CEFIC = European Chemical Industry Council; CEILING = Ceiling Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; CLP = Classification Packaging and Labelling Regulation (Regulation (EU) No. 1272/2008; COC = Cleveland Open Cup; CN = China; China IECSC = Inventory of Existing Chemical Substances In China; CPR= Controlled Products Regulations; CSA = Chemical Safety Assessment; CSR = Chemical Safety Report; CWA = Clean Water Act; DEA - Drug Enforcement Administration; Delisted = Substances Delisted from Report on Carcinogens; DFG = Deutsche Forschungsgemeinschaf; DIN = Deutsches Institut fur Normung; DMEL = Derived Minimal Effect Level; DNEL = Derived No Effect Level; DOT = Department of Transportation; DSL = Domestic Substances List (Canada); dw = dry weight; EC = European Commission; EC No. = European Community number; EC50 = Effective Concentration fifty; ECC = European Economic Community; ECETOC = European Center on Ecotoxicology and Toxicology Of Chemicals; ECHA = European Chemicals Agency; EC_x = Effect Concentration associated with x% response; EINECS - European Inventory of Existing Commercial Chemical Substances; ELINCS = European List of Notified Chemical Substances; EL50 = Effective Loading fifty; ENCS = Japan Existing and New Chemical Substances; EPA = Environmental Protection Agency; EPCRA = Emergency Planning and Community Right-to-Know Act of 1986 (USA); EU = European Union; EUH statement = CLP - specific Hazard statement: EWC = European Waste Code; F = Fahrenheit; Flash Point = Minimum temperature at which a liquid gives off sufficient vapors to form an ignitable mixture with air; fw = fresh water; FOSFA = The Federation of Oils, Seeds and Fats Associations; GHS = Globally Harmonized System of Classification and Labelling of Chemicals; GLP = Good Laboratory Practice; Group 1 = Carcinogenic to Humans; Group 2A = Probably Carcinogenic to Humans; Group 2B = Possibly Carcinogenic to Humans; Group 3 = Not Classifiable; HAPs = Hazardous Air Pollutants; HNOC = Hazards Not Otherwise Classified, IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; IBC = Intermediate Bulk Container; IC₅₀ = Inhibitory Concentration fifty; ICAO = International Civil Aviation Organization; ICL = In Commerce List (Canada); IDL = Ingredient Disclosure List; IDLH = Immediately Dangerous to Life and Health; IL50 = Inhibitory Level fifty; IMDG = International Maritime Dangerous Goods; IMO = International Maritime Organization; INSHT = National Institute for Health and Safety at Work; INV = Chinese Chemicals Inventory; IOPC = International Oil Pollution Compensation; IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables; IUB = International Union of Biochemistry and Molecular Biology; JP - Japan; , Kow = Octanol/water partition; KECL = Korean Existing and Evaluated Chemical Substances (Korea), Known = Known carcinogen; LC₅₀ = Lethal Concentration (gases) which kills 50% of the exposed animals, LD₅₀ = :Lethal Dose (solids & liquids) which kills 50% of the exposed animals; . LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading; LL₅₀ = Lethal Loading fifty; LEL = The lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.; LogPow = logarithm of the octanol/water partition coefficient; LOLI = List of LIsts™ - ChemADVISOR's Regulatory Database; LRT = Lower Respiratory Tract, MARPOL = International Convention for the Prevention of Pollution from Ships; MARPOL 73/78 = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978; MAK = Maximum Concentration Value in the Workplace; MEL = Maximum Exposure Limits; mg/m3 = : Concentration expressed in weight of substance per volume of air, mg/kg = Quantity of material, by weight, administered to a test subject, based on their body weight in kg, MEPC = Marine Environment Protection Committee; MEX = NOM-002-SCT/2003 List of Hazardous Substances and materials Most Commonly Transported; MEXICO = Mexico Occupational Exposure Limits; mw = marine water; NDSL = Non-Domestic Substances List (Canada); NE = Not Established; NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; NJTSR = New Jersey Trade Secret Registry; NOAEL = No Observed Adverse Effect Level; NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level; NTP = National Toxicology Program; NZ = New Zealand; NZIoC = New Zealand Inventory of Chemicals; OECD = Organization for Economic Cooperation and Development; OE-HPV = Occupational Exposure - High Production Volume; or = occasional release: OSHA = U.S. Occupational Safety and Health Administration; OSHA PEL = Occupational Safety and health Administration Permissible Exposure Limits; PAH = Polycyclic Aromatic Hydrocarbon; PBT = Persistent, Bioaccumulative and Toxic; PEL = Permissible Exposure Limit (OSHA); PH= Philippines; PICCS = Philippines Inventory of Chemicals and Chemical Substances; ppm = Concentration expressed in parts of material per million parts of air or water, PMCC = Pensky Martin Closed Cup; PNEC = Predicted No Effect Concentration; Present = Carcinogen or potential carcinogen to be identified under OSHA's Hazard Communication Standard; RCRA = Resource Conservation and Recovery; REACH = Registration Evaluation And Authorization Of Chemicals; RID = European Rail Transport; RRN = REACH Registration Number: Reasonably Anticipated = Reason Anticipated to be a Human Carcinogen; RQ = Reportable Quantity; RTECS = Registry of Toxic Effects of Chemical Substances®; RTK = Right To Know; SARA = Superfund Amendments and Reauthorization Act; S* = Skin notation; SEN = Sensitizer notation. May reflect risk of dermal and/or inhalation sensitization (consult ACGIH documentation); SKIN_DES = Skin Designation; Skin notation = Potential for cutaneous absorption; STEL = Short Term Exposure Limit (15 minutes); SCBA

UNISOURCE ENERGY, LLC



SAFETY DATA SHEET

= Self-Contained Breathing Apparatus; SDWA = Safe Drinking Water Act; STOT = Specific Target Organ Toxicity, STEL = Short Term Exposure Limit (15 minutes); STOT = Specific Target Organ Toxicity; STV = Short Term Value (same as STEL); TDG Transportation of Dangerous Goods (Transport Canada); TDLo, = the lowest dose to cause a symptom, TSCA = Toxic Substance Control Act; TCLo = the lowest concentration to cause a symptom; TDo, LDLo, and LDo, or TC, TCo, LCLo, and LCo, the lowest dose (or concentration) to cause lethal or toxic effects, TDG = Transportation of Dangerous Goods; TLV = Threshold Limit Value (ACGIH); TRA = Targeted Risk Assessment; TSCA = Toxic Substances Control Act; TWA = Time Weighted Average (8 hours); Under Consideration = Under Consideration by the National Toxicology Program; UEL = The highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.; UN = United Nations; URT = Upper Respiratory Track, US = United States; UVCB = Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials (UVCB Substance) on the TSCA Inventory vPvB = very Persistent and very Bioaccumulative; WHMIS = Worker Hazardous Materials Information System (Canada)

Disclaimer

The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date of preparation of this Safety Data Sheet. However, Seller does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license. All materials may present unknown hazards and should be used with caution. In addition, no responsibility can be assumed by the Seller for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the material. Seller assumes no responsibility for injury to Buyer or to third persons or any damage to any property. Buyer assumes all such risks.